Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	"6169652"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/31 09:28
L2	13	"6134096"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/31 09:30
L3	28	"5530616"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/31 09:34
L4	2	"6721035"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/31 09:39
L5	12	"4522489"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/31 09:40
L6	. 15	"6075375"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/12/31 09:46
L7	519	((robot or handl\$4 or transport\$4 or transfer\$4) near6 (article or object or substrate or wafer or reticle or mask)) same electrostatic\$4 same clamp\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/31 09:49
L8	557	((robot or handl\$4 or transport\$4 or transfer\$4) near6 (article or object or substrate or wafer or reticle or mask)) same electrostatic\$4 same clamp\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 09:49
L9	189	8 and (electrode and dielectric adj3 (layer or coat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 09:50
L10	0	9 and ((mov\$4 or transfer\$4 or transport\$4 or handl\$4) near5 (wafer or substrate or reticle or article or object) near6 (from or to))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 09:51

			1	T		I
L11	187	9 and ((mov\$4 or transfer\$4 or transport\$4 or handl\$4) near5 (wafer or substrate or reticle or article or object))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 09:51
L12	75	11 and (exposure or \$4lithograph\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 09:55
L13	38886	((electrostatic\$4) near6 ((robot adj3 arm) or (handl\$5 or transfer\$4 or transport\$4 or mov\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 09:59
L14	3832	((electrostatic\$4) near6 ((robot adj3 arm) or (handl\$5 or transfer\$4 or transport\$4 or mov\$4))) near8 (wafer or substrate or article or object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 10:02
L15	414	14 and (electrode and (dielectric adj3 layer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 10:02
L16	363	15 and ((robot adj3 arm) or (handl\$5 or transfer\$4 or transport\$4 or mov\$4)) near5 (wafer or substrate or article or reticle or mask)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON -	2005/12/31 10:04
L17	88	16 and (electrostatic\$5 near4 clamp\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 10:26
L18	6034	((robot or transfer\$4 or transport\$4) near5 (arm or device or apparatus or system) near7 (electrostatic\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 10:08
L19	8	18 and ((electrode and (dielectric adj2 layer) same electrostatic\$7 near3 clamp\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 10:14
L20	20	"4733632"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/31 10:15

L21	11	20 and electrode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 10:24
L22	6	21 and dielectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/31 10:24
L23	411	18 and ("361"/\$.ccls. or "355"/\$.ccls. or "414"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 10:28
L24	53	23 and (dielectric adj3 (layer or coat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/31 10:28